

## AGP2015

ABOVE GROUND POOLS

ABOVE GROUND POOLS 2015

# AGP

INTERNATIONAL  
Intex Development Co., Ltd.  
9th Floor, Dah Sing Financial Centre,  
108 Gloucester Road, Wanchai,  
Hong Kong  
Tel: (852) 2827-0000  
Fax: (852) 2311-8200  
E-mail: [info@intexdevelopment.com](mailto:info@intexdevelopment.com)  
Web: [www.intexdevelopment.com](http://www.intexdevelopment.com)

USA  
Intex Recreation Corp.  
P.O. Box 1440  
Long Beach, CA 90801-1440  
USA  
Tel: (310) 549-5400  
Fax: (310) 513-6905  
Web: [www.intexcorp.com](http://www.intexcorp.com)

EUROPE  
Intex Trading B.V.  
Venneveld 9,  
4705 RR Roosendaal,  
The Netherlands  
Tel: (31) 165-593920  
Fax: (31) 165-593969  
E-mail: [info@intexcorp.nl](mailto:info@intexcorp.nl)  
Web: [www.intexcorp.nl](http://www.intexcorp.nl)

Intex Trading s.r.o.  
Benešovská 23  
101 00 Praha 10  
Czech Republic  
Tel: (420) 267 312 645  
Fax: (420) 267 312 552  
E-mail: [info@intexcorp.cz](mailto:info@intexcorp.cz)  
Web: [www.intexdevelopment.com](http://www.intexdevelopment.com)

Unitex Service (France) S.A.S.  
Z.A. de Milleure Bois du Ban – N°4  
71480 LE MIROIR, France  
Tel: (33) 385 75 64 64  
Fax: (33) 385 75 64 65  
E-mail: [info@intexcorp.com.fr](mailto:info@intexcorp.com.fr)  
Web: [www.intex.fr](http://www.intex.fr)

©2014 Intex Marketing Ltd. - Intex Development Co., Ltd. - Intex Trading Ltd.  
- Intex Recreation Corp. All rights reserved. • Printed in China  
®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd.  
to Intex Trading Ltd., Intex Development Co., Ltd., G.P.O Box 28829, Hong Kong, and  
Intex Recreation Corp., P.O. Box 1440, Long Beach, CA 90801.







## INTRODUCTION

The Intex Family of companies is dedicated to developing and manufacturing the highest quality products that not only provide the best value in price, but are innovative, fun and exciting. Backed by excellent Customer Service, Intex also provides first-rate after sales support. The 100+ independently owned and locally operated companies that make up the Intex Family, all embrace this commitment to quality, service and price and are committed to working together to ensure the satisfaction of the families and individuals across the globe who enjoy these products. This has become the hallmark of Intex around the world.

As a true industry leader, Intex boasts state of the art factories, trained and motivated people, products that meet rigorous testing requirements, and a Customer Service organization that will go extra lengths to ensure our customers are satisfied and happy with their purchases.

When you purchase an Intex product you can be confident that you are buying the best product, at the best price, backed by the best Customer Service organization in the industry.

# 2015

Intex is committed to delivering top quality products at a great value with the backing of a responsive Customer Service organization. Our above ground pool line begins with our world famous Easy Set® pools that are great for families purchasing their first pool, to our deluxe Ultra Frame™ pools that are beautiful, incredibly strong and large enough for the whole neighborhood to swim in! And no pool is complete without accessories. That's why Intex provides a full line, including sand filters, saltwater systems, filter pumps, cartridges and much more that will extend your customers' swimming season and keep them coming back for more. Ask your Intex representative for any of our product catalogs – we are confident that you will agree that Intex's product line-up is unmatched in meeting your needs.





## THE LEADER IN ABOVE GROUND POOLS

INTEX PROVIDES THE BROADEST, MOST INNOVATIVE LINE OF ABOVE GROUND POOLS IN THE WORLD.



### EASY SET® POOLS

Some of the easiest family & friend-size pools in the world to set up and enjoy! A fantastic value as well as the perfect pool for young families.

06



### SMALL FRAME POOLS

The perfect pools for younger children and small yards. Easy to assemble, easy to manage. Available in multiple sizes and fun colors.


12



### METAL FRAME POOLS

The “classic” backyard line of pools. Built with solid, yet easy to assemble frames, these pools come in a broad range of sizes. Great for families, friends, and the whole neighborhood!

14



### OVAL FRAME POOLS

The ideal blend of Easy Set® and Metal Frame Pool! Convenience in a shape that fits longer, narrower yards. Perfect for laps and volleyball.

16



### ULTRA FRAME™ POOLS

These pools are the ultimate: big, beautiful, elegant, and easy to set up and maintain. Their unique frame design makes them even stronger than standard Metal Frame Pools – built to enjoy and impress!

18



### SEQUOIA SPIRIT™ FRAME POOLS

Looking for the beauty of a wood grain pool without the hassle of real wood? These are the perfect pools. A classic natural wood look, but with the convenience and strength of a Metal Frame Pool.

22



### KRYSTAL CLEAR™ POOLWATER SYSTEMS

Intex’s line of above ground pool cleaning systems are the most innovative and broadest in the market. It keeps pool water clean and fresh all summer long.


24



### POOL ACCESSORIES

From pool maintenance kits to ground cloths and pool covers, these accessories help make owning a pool easy and convenient.

34



### LED LIGHTS

LED lights are easy to use and let you enjoy your pool at night.

44




# Easy Set® Pools



## PERFECT STARTER POOL!

Are the kids ready for their first “big” pool? Intex has the answer: this unique, perfectly sized Easy Set® pool is super-easy for parents to set up, and just the right size for younger kids to enjoy their first “big person” pool! Available in bold aqua color.



Puncture-resistant 3-ply material

**6' x 20" (1.83m x 51cm)**  
Approximate set-up size

FEATURES	CASE PACK	CASE WEIGHT
<b>28101</b>	2 ea 1 box	15.1 lb (6.9 kg)
<b>IMPROVED! 28101EH</b>	2 ea 1 box	19.1 lb (8.7 kg)

Water Capacity (80%): 234 gal (886L)

Ready for Water in 10 Minutes



English/Spanish and multi-language international packaging available



## OCEAN REEF EASY SET® POOL



Easy Set® Pools: Ages 6+

## AQUARIUM IN THE BACKYARD!

Our Ocean Reef Easy Set® pool uses a photo-realistic printing technology that makes it irresistible for kids who want to swim in a life-size aquarium. This photo-like pool will add visual interest to the backyard for many summers. Available in two sizes.



English/Spanish and multi-language international packaging available

**10' x 30" (3.05m x 76cm)**  
Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
<b>28124</b>	–	–	1 ea 1 box	17.9 lb (8.2 kg)
<b>IMPROVED! 28124EH</b>	–	–	1 ea 1 box	19.8 lb (9.0 kg)
<b>NEW PUMP! 28125</b>	110-120V	330 gal (1,250L)	1 ea 1 box	22.4 lb (10.2 kg)
<b>IMPROVED! 28125EH</b>	110-120V (W/GFCI)	330 gal (1,250L)	1 ea 1 box	24.6 lb (11.2 kg)
<b>NEW PUMP! 28126</b>	220-240V	330 gal (1,250L)	1 ea 1 box	22.2 lb (10.1 kg)
<b>NEW PUMP! 28126GS</b>	12V	330 gal (1,250L)	1 ea 1 box	24.1 lb (11.0 kg)

Water Capacity (80%): 1,018 gal (3,853L)

Ready for Water in 10 Minutes

**12' x 30" (3.66m x 76cm)**  
Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
<b>28134</b>	–	–	1 ea 1 box	24.9 lb (11.3 kg)
<b>IMPROVED! 28134EH</b>	–	–	1 ea 1 box	26.6 lb (12.1 kg)
<b>28135</b>	110-120V	530 gal (2,006L)	1 ea 1 box	30.5 lb (13.9 kg)
<b>IMPROVED! 28135EH</b>	110-120V (W/GFCI)	530 gal (2,006L)	1 ea 1 box	32.8 lb (14.9 kg)
<b>28136</b>	220-240V	530 gal (2,006L)	1 ea 1 box	30.4 lb (13.8 kg)
<b>28136GS</b>	12V	600 gal (2,271L)	1 ea 1 box	33.7 lb (15.3 kg)

Water Capacity (80%): 1,485 gal (5,621L)

Ready for Water in 10 Minutes




# Easy Set® Pools



## EASY ASSEMBLY!

These are the pools that revolutionized the industry, allowing millions of families to enjoy backyard swimming. Nobody has built more of them, or understands them better than Intex.

Incredibly easy to assemble, easy to maintain, and fun to own, Intex's broad line of Easy Set® pools include a range of accessories that will enhance your customers' pool ownership experience, and keep them coming back for years.



Puncture-resistant 3-ply material



The 330 gal (1,250L) cartridge filter pump is included in 8' (2.44m) and 10' (3.05m) Easy Set® pool sets and keeps pools fresh and clean all summer!



English/Spanish and multi-language international packaging available

Easy Set® Pools: 8+

## EASY SET® POOLS

### 8' x 30" (2.44m x 76cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
<b>28110</b>	–	–	1 ea 1 box	13.3 lb (6.1 kg)
<b>IMPROVED! 28110EH</b>	–	–	1 ea 1 box	15.3 lb (7.0 kg)
<b>NEW PUMP! 28111</b>	110-120V	330 gal (1,250L)	1 ea 1 box	17.8 lb (8.1 kg)
<b>IMPROVED! 28111EH</b>	110-120V (W/GFCI)	330 gal (1,250L)	1 ea 1 box	20.2 lb (9.2 kg)
<b>NEW PUMP! 28112</b>	220-240V	330 gal (1,250L)	1 ea 1 box	17.5 lb (8.0 kg)
<b>NEW PUMP! 28112GS</b>	12V	330 gal (1,250L)	1 ea 1 box	19.3 lb (8.8 kg)
Water Capacity (80%): 639 gal (2,419L)		Ready for Water in 10 Minutes		

### 12' x 30" (3.66m x 76cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
<b>28130</b>	–	–	1 ea 1 box	24.9 lb (11.3 kg)
<b>IMPROVED! 28130EH</b>	–	–	1 ea 1 box	26.6 lb (12.1 kg)
<b>28131</b>	110-120V	530 gal (2,006L)	1 ea 1 box	30.5 lb (13.9 kg)
<b>IMPROVED! 28131EH</b>	110-120V (W/GFCI)	530 gal (2,006L)	1 ea 1 box	32.8 lb (14.9 kg)
<b>28132</b>	220-240V	530 gal (2,006L)	1 ea 1 box	30.4 lb (13.8 kg)
<b>28132GS</b>	12V	600 gal (2,271L)	1 ea 1 box	33.7 lb (15.3 kg)
Water Capacity (80%): 1,485 gal (5,621L)		Ready for Water in 10 Minutes		

### 15' x 36" (4.57m x 91cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>28160</b>	–	–	–	–	–	1 ea 1 box	42.5 lb (19.3 kg)
<b>IMPROVED! 28160EH</b>	–	–	–	–	–	1 ea 1 box	44.6 lb (20.3 kg)
<b>IMPROVED! 28161EH</b>	110-120V (W/GFCI)	1,000 gal (3,785L)	–	–	–	1 ea 1 box	51.5 lb (23.4 kg)
<b>28162</b>	220-240V	1,000 gal (3,785L)	–	–	–	1 ea 1 box	49.5 lb (22.5 kg)
<b>28162GS</b>	12V	900 gal (3,407L)	–	–	–	1 ea 1 box	53.9 lb (24.5 kg)
<b>IMPROVED! 28163EH</b>	110-120V (W/GFCI)	1,000 gal (3,785L)	•	•	•	1 ea 1 box	83.6 lb (38.0 kg)
<b>28164</b>	220-240V	1,000 gal (3,785L)	•	•	•	1 ea 1 box	81.6 lb (37.1 kg)
<b>28164GS</b>	12V	900 gal (3,407L)	•	•	•	1 ea 1 box	86.0 lb (39.1 kg)
Water Capacity (80%): 2,822 gal (10,681L)							Ready for Water in 15 Minutes

### 10' x 30" (3.05m x 76cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
<b>28120</b>	–	–	1 ea 1 box	17.9 lb (8.2 kg)
<b>IMPROVED! 28120EH</b>	–	–	1 ea 1 box	19.8 lb (9.0 kg)
<b>NEW PUMP! 28121</b>	110-120V	330 gal (1,250L)	1 ea 1 box	22.4 lb (10.2 kg)
<b>IMPROVED! 28121EH</b>	110-120V (W/GFCI)	330 gal (1,250L)	1 ea 1 box	24.6 lb (11.2 kg)
<b>NEW PUMP! 28122</b>	220-240V	330 gal (1,250L)	1 ea 1 box	22.2 lb (10.1 kg)
<b>NEW PUMP! 28122GS</b>	12V	330 gal (1,250L)	1 ea 1 box	24.1 lb (11.0 kg)
Water Capacity (80%): 1,018 gal (3,853L)		Ready for Water in 10 Minutes		

### 12' x 36" (3.66m x 91cm) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
<b>28144</b>	–	–	1 ea 1 box	28.4 lb (12.9 kg)
<b>IMPROVED! 28144EH</b>	–	–	1 ea 1 box	30.1 lb (13.7 kg)
<b>28145</b>	110-120V	530 gal (2,006L)	1 ea 1 box	34.1 lb (15.5 kg)
<b>IMPROVED! 28145EH</b>	110-120V (W/GFCI)	530 gal (2,006L)	1 ea 1 box	36.5 lb (16.6 kg)
<b>28146</b>	220-240V	530 gal (2,006L)	1 ea 1 box	33.9 lb (15.4 kg)
<b>28146GS</b>	12V	600 gal (2,271L)	1 ea 1 box	37.2 lb (16.9 kg)
Water Capacity (80%): 1,779 gal (6,734L)		Ready for Water in 10 Minutes		






# Easy Set® Pools

EASY SET® POOLS



## EXPERIENCE THE ULTIMATE SUMMER

Make a splash all summer long with the Intex Easy Set® with your family and friends in your own backyard!



Puncture-resistant 3-ply material



English/Spanish and multi-language international packaging available



## INTEX EASY SET® POOLS COME IN THE MOST POPULAR HEIGHTS!

Intex Easy Set® extensive line of pools offers you a selection of heights that grow with your family. Choose the right size that best fits your family or your backyard, for a summer to remember!

15' (4.57m) Easy Set® pool sets include the 1,000 gal (3,785L) filter pump, which is ideal for excellent water filtration.



**15' x 42" (4.57m x 1.07m)**  
Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED! 28165EH</b>	110-120V (W/GFCI)	1,000 gal (3,785L)	•	•	•	1 ea 1 box	89.3 lb (40.6 kg)
<b>28166</b>	220-240V	1,000 gal (3,785L)	•	•	•	1 ea 1 box	88.0 lb (40.0 kg)
<b>28166GS</b>	12V	900 gal (3,407L)	•	•	•	1 ea 1 box	92.4 lb (42.0 kg)

Water Capacity (80%): 3,284 gal (12,430L)

Ready for Water in 15 Minutes

**15' x 48" (4.57m x 1.22m)**  
Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED! 28167EH</b>	110-120V (W/GFCI)	1,000 gal (3,785L)	•	•	•	1 ea 1 box	98.6 lb (44.8 kg)
<b>28168</b>	220-240V	1,000 gal (3,785L)	•	•	•	1 ea 1 box	97.0 lb (44.1 kg)
<b>28168GS</b>	12V	900 gal (3,407L)	•	•	•	1 ea 1 box	101.4 lb (46.1 kg)

Water Capacity (80%): 3,736 gal (14,141L)

Ready for Water in 15 Minutes

**18' x 48" (5.49m x 1.22m)**  
Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED! 28175EH</b>	110-120V (W/GFCI)	1,500 gal (5,678L)	•	•	•	1 ea 1 box	133.3 lb (60.6 kg)
<b>28176</b>	220-240V	1,500 gal (5,678L)	•	•	•	1 ea 1 box	132.2 lb (60.1 kg)
<b>28176GS</b>	12V	1,500 gal (5,678L)	•	•	•	1 ea 1 box	138.8 lb (63.1 kg)

Water Capacity (80%): 5,455 gal (20,647L)

Ready for Water in 30 Minutes





# Small Frame Pools

## MINI FRAME™ POOLS

Looking for that first frame pool for growing children? Intex's Mini Frame™ pools are the perfect solution! These colorful, easy to assemble, sturdy pools are an ideal size and depth for younger children. Available in aqua and yellow colors.



#57173



4' x 4' x 12" (1.22m x 1.22m x 30cm)

Approximate set-up size

FEATURES	CASE PACK	CASE WEIGHT
57172NP / EP	3 ea 1 box	32.3 lb (14.7 kg)
57173NP / EP	3 ea 1 box	32.3 lb (14.7 kg)

Water Capacity (80%): 89 gal (337L)

Ready for Water in 10 Minutes



#57172



English and multi-language international packaging available



## SMALL FRAME POOLS




English/Spanish and multi-language international packaging available



## RECTANGULAR FRAME POOLS

FEATURES	APPROXIMATE SET-UP SIZE	WATER CAPACITY (90%)	READY FOR WATER IN	CASE PACK	CASE WEIGHT
28270	86 $\frac{1}{2}$ " x 59" x 23 $\frac{1}{2}$ " (2.2m x 1.5m x 60cm)	439 gal (1,662L)	30 Minutes	1 ea 1 box	33.7 lb (15.3 kg)
<b>IMPROVED!</b> 28270EH	86 $\frac{1}{2}$ " x 59" x 23 $\frac{1}{2}$ " (2.2m x 1.5m x 60cm)	439 gal (1,662L)	30 Minutes	1 ea 1 box	36.3 lb (16.5 kg)
28271	102 $\frac{1}{2}$ " x 63" x 25 $\frac{1}{2}$ " (2.6m x 1.6m x 65cm)	603 gal (2,282L)	30 Minutes	1 ea 1 box	38.3 lb (17.4 kg)
<b>IMPROVED!</b> 28271EH	102 $\frac{1}{2}$ " x 63" x 25 $\frac{1}{2}$ " (2.6m x 1.6m x 65cm)	603 gal (2,282L)	30 Minutes	1 ea 1 box	40.7 lb (18.5 kg)
28272	118" x 78 $\frac{1}{4}$ " x 29 $\frac{1}{2}$ " (3.0m x 2.0m x 75cm)	1,013 gal (3,834L)	30 Minutes	1 ea 1 box	45.3 lb (20.6 kg)
<b>IMPROVED!</b> 28272EH	118" x 78 $\frac{1}{4}$ " x 29 $\frac{1}{2}$ " (3.0m x 2.0m x 75cm)	1,013 gal (3,834L)	30 Minutes	1 ea 1 box	47.5 lb (21.6 kg)
28273	177 $\frac{1}{4}$ " x 86 $\frac{1}{2}$ " x 33" (4.5m x 2.2m x 84cm)	1,883 gal (7,127L)	30 Minutes	1 ea 1 box	86.2 lb (39.2 kg)
<b>IMPROVED!</b> 28273EH	177 $\frac{1}{4}$ " x 86 $\frac{1}{2}$ " x 33" (4.5m x 2.2m x 84cm)	1,883 gal (7,127L)	30 Minutes	1 ea 1 box	88.2 lb (40.1 kg)



Puncture-resistant 3-ply material



# Metal Frame Pools

## FROM STARTER POOLS TO POOLS BIG ENOUGH FOR THE WHOLE FAMILY AND NEIGHBORHOOD!

Beautiful, easy-to-assemble, durable, and designed for years of family and neighborhood fun, Metal Frame pools have become a backyard classic. And Intex Metal Frame pools are the best in class. Nobody offers consumers more Metal Frame pools than Intex. From our 10' (3.05m) starter pool, which is great for a family's first pool and perfect for smaller children, to our huge 24' (7.32m) pool which can hold all the neighbors' kids, there is an Intex Metal Frame pool for every family and for every occasion!



## NOTHING BEATS AN INTEX METAL FRAME POOL

This line of "classics" is broad enough to meet virtually any family's requirements: from beginning swimmers to neighborhood-size holiday parties!



### 10' x 30" (3.05m x 76cm)

Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
<b>28200</b>	—	—	1 ea 1 box	38.3 lb (17.4 kg)
<b>IMPROVED!</b> 28200EH	—	—	1 ea 1 box	40.0 lb (18.2 kg)
<b>NEW PUMP!</b> 28201	110-120V	330 gal (1,250L)	1 ea 1 box	42.0 lb (19.1 kg)
<b>IMPROVED!</b> 28201EH	110-120V (W/GFCI)	330 gal (1,250L)	1 ea 1 box	44.4 lb (20.2 kg)
<b>NEW PUMP!</b> 28202	220-240V	330 gal (1,250L)	1 ea 1 box	42.0 lb (19.1 kg)
<b>NEW PUMP!</b> 28202GS	12V	330 gal (1,250L)	1 ea 1 box	43.8 lb (19.9 kg)

Water Capacity (90%): 1,185 gal (4,485L)

Ready for Water in 30 Minutes


### 12' x 30" (3.66m x 76cm)

Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	CASE PACK	CASE WEIGHT
<b>28210</b>	—	—	1 ea 1 box	48.2 lb (21.9 kg)
<b>IMPROVED!</b> 28210EH	—	—	1 ea 1 box	50.4 lb (22.9 kg)
<b>28211</b>	110-120V	530 gal (2,006L)	1 ea 1 box	53.9 lb (24.5 kg)
<b>IMPROVED!</b> 28211EH	110-120V (W/GFCI)	530 gal (2,006L)	1 ea 1 box	56.3 lb (25.6 kg)
<b>28212</b>	220-240V	530 gal (2,006L)	1 ea 1 box	53.9 lb (24.5 kg)
<b>28212GS</b>	12V	600 gal (2,271L)	1 ea 1 box	57.2 lb (26.0 kg)

Water Capacity (90%): 1,718 gal (6,503L)

Ready for Water in 30 Minutes



Puncture-resistant 3-ply material



English/Spanish and multi-language international packaging available

## METAL FRAME POOLS

### 15' x 36" (4.57m x 91cm)

Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED!</b> 28231EH	110-120V (W/GFCI)	1,000 gal (3,785L)	•	•	•	1 ea 1 box	128.0 lb (58.2 kg)
<b>28232</b>	220-240V	1,000 gal (3,785L)	•	•	•	1 ea 1 box	126.3 lb (57.4 kg)
<b>28232GS</b>	12V	900 gal (3,407L)	•	•	•	1 ea 1 box	130.5 lb (59.3 kg)

Water Capacity (90%): 3,282 gal (12,422L)

Ready for Water in 45 Minutes

### 15' x 42" (4.57m x 1.07m)

Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED!</b> 28233EH	110-120V (W/GFCI)	1,000 gal (3,785L)	•	•	•	1 ea 1 box	138.2 lb (62.8 kg)
<b>28234</b>	220-240V	1,000 gal (3,785L)	•	•	•	1 ea 1 box	136.8 lb (62.2 kg)
<b>28234GS</b>	12V	900 gal (3,407L)	•	•	•	1 ea 1 box	141.0 lb (64.1 kg)

Water Capacity (90%): 3,861 gal (14,614L)

Ready for Water in 45 Minutes

### 15' x 48" (4.57m x 1.22m)

Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED!</b> 28235EH	110-120V (W/GFCI)	1,000 gal (3,785L)	•	•	•	1 ea 1 box	155.1 lb (70.5 kg)
<b>28236</b>	220-240V	1,000 gal (3,785L)	•	•	•	1 ea 1 box	152.7 lb (69.4 kg)
<b>28236GS</b>	12V	900 gal (3,407L)	•	•	•	1 ea 1 box	157.1 lb (71.4 kg)

Water Capacity (90%): 4,440 gal (16,805L)

Ready for Water in 45 Minutes

### 18' x 48" (5.49m x 1.22m)

Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED!</b> 28251EH	110-120V (W/GFCI)	1,500 gal (5,678L)	•	•	•	1 ea 1 box	198.0 lb (90.0 kg)
<b>28252</b>	220-240V	1,500 gal (5,678L)	•	•	•	1 ea 1 box	196.2 lb (89.2 kg)
<b>28252GS</b>	12V	1,500 gal (5,678L)	•	•	•	1 ea 1 box	202.8 lb (92.2 kg)

Water Capacity (90%): 6,423 gal (24,311L)

Ready for Water in 60 Minutes

### 24' x 52" (7.32m x 1.32m)

Approximate set-up size


FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED!</b> 28261EH	110-120V (W/GFCI)	2,500 gal (9,463L)	•	•	•	1 ea 1 box	305.6 lb (138.9 kg)
<b>28262</b>	220-240V	2,500 gal (9,463L)	•	•	•	1 ea 1 box	307.3 lb (139.7 kg)
<b>28262GS</b>	220-240V (W/RCD)	2,500 gal (9,463L)	•	•	•	1 ea 1 box	309.5 lb (140.7 kg)

Water Capacity (90%): 12,481 gal (47,241L)

Ready for Water in 60 Minutes



# Oval Frame Pools



Puncture-resistant 3-ply material

English/Spanish and multi-language international packaging available



Our 1,000 gal (3,785 L) filter pump included in the 18' x 10' x 42" (5.49m x 3.05m x 1.07m) Oval Frame Pool set completely filters the pool's water in under 4 hours!

## THE VALUE OF AN EASY SET® POOL COMBINED WITH THE CLASSIC SHAPE OF A RECTANGULAR POOL!

For many consumers, a standard rectangular pool is their preferred choice. Intex oval shaped pools are a great bridge between Easy Set® and Rectangular Metal Frame pools, combining the benefits of both. It is quick and easy to assemble, with additional support from the frame, as well as a rectangular shape to maximize swimming area!

The frames are rust-proof coated, and assembled with snap-on joints eliminating the need for tools. The collection comes in two popular and family-friendly sizes. Perfect for narrower backyards, or lap swimmers! Available in 18' x 10' x 42" (5.49m x 3.05m x 1.07m) and 20' x 12' x 48" (6.10m x 3.66m x 1.22m) sizes.



### 18' x 10' x 42" (5.49m x 3.05m x 1.07m) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED!</b> 28191EH	110-120V (W/GFCI)	1,000 gal (3,785L)	•	•	•	1 ea 1 box	130.5 lb (59.3 kg)
28192	220-240V	1,000 gal (3,785L)	•	•	•	1 ea 1 box	129.1 lb (58.7 kg)
28192GS	12V	900 gal (3,407L)	•	•	•	1 ea 1 box	133.8 lb (60.8 kg)

Water Capacity (80%): 2,885 gal (10,920L)

Ready for Water in 30 Minutes

### 20' x 12' x 48" (6.10m x 3.66m x 1.22m) Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED!</b> 28193EH	110-120V (W/GFCI)	1,500 gal (5,678L)	•	•	•	1 ea 1 box	173.4 lb (78.8 kg)
28194	220-240V	1,500 gal (5,678L)	•	•	•	1 ea 1 box	172.7 lb (78.5 kg)
28194GS	12V	1,500 gal (5,678L)	•	•	•	1 ea 1 box	179.3 lb (81.5 kg)

Water Capacity (80%): 4,393 gal (16,628L)

Ready for Water in 30 Minutes

Oval Frame Pools: 6+



# Ultra Frame™ Pools


## INTEX® PREMIUM POOL LINE

These pools, with their unique frames, are stronger than traditional Metal Frame pools. They're easier to assemble because the shape allows the pieces to fit together so smoothly and securely that separate locking pins are not needed.

They come with a broad line of accessories guaranteed to make pool ownership and maintenance easier and enjoyable.



Some 16' x 48" (4.88m x 1.22m) Ultra Frame™ Pool sets come with the 1,200 gal (4.5 m³) per hour Sand Filter Pump, which promises to keep pool water in fantastic condition!



Puncture-resistant 3-ply material



English/Spanish and multi-language international packaging available



Ultra Frame™ Pools: Ages 6+

## ULTRA FRAME™ POOLS

### THE ULTRA FRAME™ COMES WITH THE ULTIMATE COMBINATION

For the ultimate combination of pool filtration, water sanitation, and convenience, these Ultra Frame™ pools come with our Krystal Clear™ Sand Filter Pump & Saltwater System Combo. No other system on the market combines the gentle, thorough, environmentally-sensitive filtration and sanitation properties of sand and salt.

Maintenance is incredibly easy since sand only needs routine backwashing and replacement every 5 years, and salt never needs replacement under normal conditions. To make daily operation even easier, the combo comes with a built-in 24-hour timer that runs the system automatically.



**16' x 48" (4.88m x 1.22m)**  
Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED!</b> 28321EH	110-120V (W/GFCI)	1,500 gal (5,678L)	•	•	•	1 ea 1 box	193.6 lb (88.0 kg)
28322	220-240V	1,500 gal (5,678L)	•	•	•	1 ea 1 box	191.4 lb (87.0 kg)
28322GS	12V	1,500 gal (5,678L)	•	•	•	1 ea 1 box	199.1 lb (90.5 kg)

Water Capacity (90%): 5,061 gal (19,156L) Ready for Water in 45 Minutes

**16' x 48" (4.88m x 1.22m)**  
Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	FILTER PUMP & SALTWATER SYSTEM	LADDER	GROUND CLOTH	POOL COVER	MAINTENANCE KIT	SURFACE SKIMMER	CASE PACK	CASE WEIGHT
<b>IMPROVED!</b> 28323EH	110-120V (W/GFCI)	1,200 gal (4.5m³)	–	•	•	•	–	–	1 ea 1 box	207.7 lb (94.4 kg)
28324	220-240V	1,200 gal (4.5m³)	–	•	•	•	–	–	1 ea 1 box	208.6 lb (94.8 kg)
28324GS	220-240V (W/RCD)	1,200 gal (4.5m³)	–	•	•	•	–	–	1 ea 1 box	211.6 lb (96.2 kg)
<b>NEW!</b> 28327EH	110-120V (W/GFCI)	–	1,200 gal (4,542L)	•	•	•	•	•	1 ea 1 box	217.8 lb (99.0 kg)
<b>NEW!</b> 28328	220-240V	–	1,200 gal (4,542L)	•	•	•	•	•	1 ea 1 box	219.8 lb (99.9 kg)

Water Capacity (90%): 5,061 gal (19,156L) Ready for Water in 45 Minutes

**18' x 52" (5.49m x 1.32m)**  
Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	SAND FILTER PUMP & SALTWATER SYSTEM	LADDER	GROUND CLOTH	POOL COVER	DELUXE POOL MAINTENANCE KIT	VOLLEYBALL SET	CASE PACK	CASE WEIGHT
<b>IMPROVED!</b> 28331EH	110-120V (W/GFCI)	2,100 gal (7.9m³)	–	•	•	•	–	–	1 ea 1 box	254.1 lb (115.5 kg)
28332	220-240V	2,100 gal (7.9m³)	–	•	•	•	–	–	1 ea 1 box	255.6 lb (116.2 kg)
28332GS	220-240V (W/RCD)	2,100 gal (7.9m³)	–	•	•	•	–	–	1 ea 1 box	257.6 lb (117.1 kg)
<b>NEW!</b> 28335EH	110-120V (W/GFCI)	–	1,600 gal (6.0m³)	•	•	•	•	•	1 ea 1 box	285.3 lb (129.7 kg)
<b>NEW!</b> 28336	220-240V	–	1,600 gal (6.0m³)	•	•	•	•	•	1 ea 1 box	286.9 lb (130.4 kg)

Water Capacity (90%): 6,981 gal (26,423L) Ready for Water in 60 Minutes



# Ultra Frame™ Rectangular Pools

## INTEX® PREMIUM POOL LINE

The ultimate in above ground pools. Soft gray laminated pool liner, brilliant white copings and pool-water blue tile print interior make a fashion statement anywhere. With this luxury pool, add summer fun and beauty to any backyard!




### TRUE NEIGHBORHOOD-SIZE POOLS PLUS DELUXE CLEANING SYSTEMS!

For the ultimate combination of pool filtration, water sanitation, and convenience, these Ultra Frame™ Rectangular pools come with our Krystal Clear™ Sand Filter Pump & Saltwater System Combos. No other system on the market combines the gentle, thorough, environmentally-sensitive filtration and sanitation properties of sand and salt.

All-natural salt and eco-friendly sand filter and sanitize the water without harsh, packaged chlorine.



English/Spanish and multi-language international packaging available



Puncture-resistant 3-ply material

Ultra Frame™ Rectangular Pools: 



**157½" x 78¾" x 39⅞" (4.00m x 2.00m x 1.00m)**  
Approximate set-up size

FEATURES	VOLTAGE	FILTER PUMP	LADDER	CASE PACK	CASE WEIGHT
<b>28349</b>	110-120V	530 gal (2,006L)	•	1 ea 1 box	138.8 lb (63.1 kg)
<b>IMPROVED! 28349EH</b>	110-120V (W/GFCI)	530 gal (2,006L)	•	1 ea 1 box	140.8 lb (64.0 kg)
<b>28350</b>	220-240V	530 gal (2,006L)	•	1 ea 1 box	138.8 lb (63.1 kg)
<b>28350GS</b>	12V	600 gal (2,271L)	•	1 ea 1 box	142.1 lb (64.6 kg)

Water Capacity (90%): 1,806 gal (6,836L) Ready for Water in 45 Minutes

**18' x 9' x 52" (5.49m x 2.74m x 1.32m)**  
Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED! 28351EH</b>	110-120V (W/GFCI)	1,200 gal (4.5m³)	•	•	•	1 ea 1 box	276.5 lb (125.7 kg)
<b>28352</b>	220-240V	1,200 gal (4.5m³)	•	•	•	1 ea 1 box	277.6 lb (126.2 kg)
<b>28352GS</b>	220-240V (W/RCD)	1,200 gal (4.5m³)	•	•	•	1 ea 1 box	279.8 lb (127.2 kg)

Water Capacity (90%): 4,545 gal (17,203L) Ready for Water in 60 Minutes

**24' x 12' x 52" (7.32m x 3.66m x 1.32m)**  
Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	SAND FILTER PUMP & SALTWATER SYSTEM	LADDER	GROUND CLOTH	POOL COVER	DELUXE POOL MAINTENANCE KIT	VOLLEYBALL SET	CASE PACK	CASE WEIGHT
<b>IMPROVED! 28361EH</b>	110-120V (W/GFCI)	2,100 gal (7.9m³)	–	•	•	•	–	–	1 ea 2 boxes	398.2 lb (181.0 kg)
<b>28362</b>	220-240V	2,100 gal (7.9m³)	–	•	•	•	–	–	1 ea 2 boxes	399.7 lb (181.7 kg)
<b>28362GS</b>	220-240V (W/RCD)	2,100 gal (7.9m³)	–	•	•	•	–	–	1 ea 2 boxes	401.7 lb (182.6 kg)
<b>NEW! 28365EH</b>	110-120V (W/GFCI)	–	1,600 gal (6.0m³)	•	•	•	•	•	1 ea 2 boxes	433.0 lb (196.8 kg)
<b>NEW! 28366</b>	220-240V	–	1,600 gal (6.0m³)	•	•	•	•	•	1 ea 2 boxes	434.5 lb (197.5 kg)

Water Capacity (90%): 8,403 gal (31,805L) Ready for Water in 60 Minutes


**32' x 16' x 52" (9.75m x 4.88m x 1.32m)**  
Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	SAND FILTER PUMP & SALTWATER SYSTEM	LADDER	GROUND CLOTH	POOL COVER	DELUXE POOL MAINTENANCE KIT	VOLLEYBALL SET	CASE PACK	CASE WEIGHT
<b>IMPROVED! 28371EH</b>	110-120V (W/GFCI)	2,800 gal (10.5m³)	–	•	•	•	–	–	1 ea 2 boxes	541.6 lb (246.2 kg)
<b>28372</b>	220-240V	2,800 gal (10.5m³)	–	•	•	•	–	–	1 ea 2 boxes	543.0 lb (246.8 kg)
<b>28372GS</b>	220-240V (W/RCD)	2,800 gal (10.5m³)	–	•	•	•	–	–	1 ea 2 boxes	544.9 lb (247.7 kg)
<b>NEW! 28375EH</b>	110-120V (W/GFCI)	–	2,650 gal (10.0m³)	•	•	•	•	•	1 ea 2 boxes	580.4 lb (263.8 kg)
<b>NEW! 28376</b>	220-240V	–	2,650 gal (10.0m³)	•	•	•	•	•	1 ea 2 boxes	579.3 lb (263.3 kg)

Water Capacity (90%): 14,364 gal (54,368L) Ready for Water in 90 Minutes



# Sequoia Spirit™ Frame Pools



Puncture-resistant  
3-ply material

English/Spanish and multi-language  
international packaging available

Sequoia Spirit™ Frame Pools: 



## INTEX'S BEAUTIFUL SEQUOIA SPIRIT™ FRAME POOLS – CLASSIC BEAUTY AT A GREAT VALUE!

Nothing matches an Intex Sequoia Spirit™ Frame pool. Our wood-grain pool comes in two popular sizes – 15'8" x 49" (4.78m x 1.24m) and 18'8" x 53" (5.69m x 1.35m) that is sure to fit most backyards and make a beautiful addition to any home!

For the ultimate combination of pool filtration, water sanitation, and convenience, the Sequoia Spirit™ comes with our Krystal Clear™ Sand Filter Pump & Saltwater System Combo. No other system on the market combines the gentle, thorough, environmentally-sensitive filtration and sanitation properties of sand and salt.

Some 18'8" x 53" (5.69m x 1.35m) Sequoia Spirit™ Frame Pool sets come with the 2,100 gal (7.9 m³) per hour Sand Filter Pump, which promises to keep pool water in fantastic condition!



### 15'8" x 49" (4.78m x 1.24m) Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	LADDER	GROUND CLOTH	POOL COVER	CASE PACK	CASE WEIGHT
<b>IMPROVED!</b> 28381EH	110-120V (W/GFCI)	1,200 gal (4.5m³)	•	•	•	1 ea 3 boxes	495.7 lb (225.3 kg)
28382	220-240V	1,200 gal (4.5m³)	•	•	•	1 ea 3 boxes	496.8 lb (225.8 kg)
28382GS	220-240V (W/RCD)	1,200 gal (4.5m³)	•	•	•	1 ea 3 boxes	499.2 lb (226.9 kg)

Water Capacity (90%): 4,440 gal (16,805L)

Ready for Water in 120 Minutes

### 18'8" x 53" (5.69m x 1.35m) Approximate set-up size

FEATURES	VOLTAGE	SAND FILTER PUMP	SAND FILTER PUMP & SALTWATER SYSTEM	LADDER	GROUND CLOTH	POOL COVER	DELUXE POOL MAINTENANCE KIT	VOLLEYBALL SET	CASE PACK	CASE WEIGHT
<b>IMPROVED!</b> 28391EH	110-120V (W/GFCI)	2,100 gal (7.9m³)	–	•	•	•	–	–	1 ea 3 boxes	633.8 lb (288.1 kg)
28392	220-240V	2,100 gal (7.9m³)	–	•	•	•	–	–	1 ea 3 boxes	633.2 lb (287.8 kg)
28392GS	220-240V (W/RCD)	2,100 gal (7.9m³)	–	•	•	•	–	–	1 ea 3 boxes	635.1 lb (288.7 kg)
<b>NEW!</b> 28395EH	110-120V (W/GFCI)	–	1,600 gal (6.0m³)	•	•	•	•	•	1 ea 3 boxes	665.1 lb (302.3 kg)
<b>NEW!</b> 28396	220-240V	–	1,600 gal (6.0m³)	•	•	•	•	•	1 ea 3 boxes	664.8 lb (302.2 kg)

Water Capacity (90%): 6,981 gal (26,423L)

Ready for Water in 150 Minutes



# Krystal Clear™ Filtration and Sanitation Systems

INNOVATION IN POOL CLEANING



## POOL FILTRATION SYSTEMS



5 models  
(Details on pages 26-27)

### CARTRIDGE FILTER PUMPS

- Advantages:
- Cartridges provide excellent water filtration
  - Easy to use: simply replace the old cartridge with a new one every 2 weeks
  - Intex high quality replacement cartridges are widely available
  - 24-hour auto timer on some models



4 models  
(Details on pages 28-29)

### SAND FILTER PUMPS

- Advantages:
- All natural sand provides excellent water filtration
  - Economical & environmentally friendly
  - Requires virtually no maintenance except replacement of sand every 5 years
  - 24-hour auto timer included

## POOL SANITATION SYSTEMS



2 models  
(Details on page 30)

### SALTWATER SYSTEM WITH E.C.O. (ELECTROCATALYTIC OXIDATION)

- Advantages:
- Eliminates bacteria & algae from pool water using a virtually undetectable amount of all natural salt
  - Much gentler on skin, eyes, clothes, and hair than packaged chlorine
  - Salt is economical & much more environmentally friendly than packaged chlorine
  - 24-hour auto timer included



1 model  
(Details on page 31)

### SALTWATER SYSTEM WITH OZONE

- Advantages:
- Ozone is the most powerful sanitizing method for pool water.
  - The only 100% natural and biodegradable pool sanitizing agent.
  - Odorless
  - Saltwater system provides residual cleaning action and soft, smooth water for swimmers.
  - 24-hour auto timer included.

## COMBINATION FILTRATION & SANITATION SYSTEMS



1 model  
(Details on page 32)

### CARTRIDGE FILTER PUMP & SALTWATER SYSTEMS WITH E.C.O. (ELECTROCATALYTIC OXIDATION)

Combines cartridge filter pump with saltwater system



2 models  
(Details on page 33)

### SAND FILTER PUMP & SALTWATER SYSTEMS WITH E.C.O. (ELECTROCATALYTIC OXIDATION)

Combines sand filter pump with saltwater system



POOL FILTRATION SYSTEMS

KRYSTAL CLEAR™ CARTRIDGE FILTER PUMPS



Item#	Voltage	Easy Set® Pool Models	Frame Pool Models	Oval Frame Pool Models	Pump flow rate gal (L)/hr	System flow rate gal (L)/hr	Case Pack	Case Weight lb (kg)
<b>NEW!</b> 28601	110-120V	8'/10' (2.44m/3.05m)	10' (3.05m)	–	330 (1,250)	300 (1,136)	4	20.5 (9.3)
<b>NEW!</b> 28601EG	110-120V (W/GFCI)	8'/10' (2.44m/3.05m)	10' (3.05m)	–	330 (1,250)	300 (1,136)	4	21.7 (9.9)
<b>NEW!</b> 28602	220-240V	8'/10' (2.44m/3.05m)	10' (3.05m)	–	330 (1,250)	300 (1,136)	4	19.0 (8.7)
<b>NEW!</b> 28602GS	12V	8'/10' (2.44m/3.05m)	10' (3.05m)	–	330 (1,250)	300 (1,136)	4	28.0 (12.7)
<b>IMPROVED!</b> 28603	110-120V	12' (3.66m)	12' (3.66m)	–	530 (2,006)	475 (1,798)	4	27.5 (12.5)
<b>IMPROVED!</b> 28603EG	110-120V (W/GFCI)	12' (3.66m)	12' (3.66m)	–	530 (2,006)	475 (1,798)	4	29.0 (13.2)
<b>IMPROVED!</b> 28604	220-240V	12' (3.66m)	12' (3.66m)	–	530 (2,006)	475 (1,798)	4	25.8 (11.7)
<b>IMPROVED!</b> 28604GS	12V	12' (3.66m)	12' (3.66m)	–	600 (2,271)	500 (1,893)	4	41.0 (18.6)
<b>IMPROVED!</b> 28637EG	110-120V (W/GFCI)	15' (4.57m)	15' (4.57m)	18' x 10' (5.49m x 3.05m)	1,000 (3,785)	750 (2,839)	4	34.6 (15.7)
<b>IMPROVED!</b> 28638	220-240V	15' (4.57m)	15' (4.57m)	18' x 10' (5.49m x 3.05m)	1,000 (3,785)	750 (2,839)	4	31.6 (14.4)
<b>IMPROVED!</b> 28638GS	12V	15' (4.57m)	15' (4.57m)	18' x 10' (5.49m x 3.05m)	900 (3,407)	700 (2,650)	4	50.8 (23.1)

- Easy installation – just hook-up hoses and plug in
- Double insulated pump
- Air release valve for air trapped inside filter chamber
- Sediment flush valve at bottom of filter chamber (28635/28636/28633/28634)
- Auto timer for easier use (28635/28636/28633/28634), except 28636GS
- Conforms to UL/CSA standards (110-120V models)
- CE approved (220-240V models)
- TUV-GS approved (GS designation models)
- Shelf box

Efficient filtration is essential for a quality swim experience. Who wants to swim in a dirty pool?

Intex's line of pumps and cartridges guarantee a cleaner pool with:

- Powerful pumps in several of our most popular pool sets
- Filter cartridges with thicker, heavier paper and more pleats
- Water inlet jets for enhanced water flow back into the pool

The results will be faster water circulation, improved filtration, and best of all – a superior swim experience!

Item#	Voltage	Easy Set® Pool Models	Frame Pool Models	Oval Frame Pool Models	Pump flow rate gal (L)/hr	System flow rate gal (L)/hr	Case Weight lb (kg)
28635EG	110-120V (W/GFCI)	18' (5.49m)	16'/18' (4.88m/5.49m)	20' x 12' (6.10m x 3.66m)	1,500 (5,678)	1,180 (4,466)	16.3 (7.4)
28636	220-240V	18' (5.49m)	16'/18' (4.88m/5.49m)	20' x 12' (6.10m x 3.66m)	1,500 (5,678)	1,180 (4,466)	15.8 (7.2)
28636GS	12V	18' (5.49m)	16'/18' (4.88m/5.49m)	20' x 12' (6.10m x 3.66m)	1,500 (5,678)	1,100 (4,164)	22.7 (10.3)
28633EG	110-120V (W/GFCI)	–	24' (7.32m)	–	2,500 (9,463)	1,900 (7,192)	23.2 (10.6)
28634	220-240V	–	24' (7.32m)	–	2,500 (9,463)	1,900 (7,192)	24.4 (11.1)
28634GS	220-240V (W/RCD)	–	24' (7.32m)	–	2,500 (9,463)	1,750 (6,624)	27.0 (12.3)





KRYSTAL CLEAR™ SAND FILTER PUMPS



6-Way Valve

Strainer Basket

Pressure Gauge

Built-in Timer

Heavy Duty Tank

Powerful Motor

Features	Benefits
6-function control	Enables pool owner to filter, backwash, rinse, recirculate, drain & close system
24-hour automatic timer	Automatic daily setting
0.95 horse power pump 0.75 horse power pump 0.50 horse power pump 0.25 horse power pump	Ideal for above ground pools
GFCI unit (110-120V version)	Safety shut-off; meets UL standard
Strainer basket	Easy-cleaning, prolongs life of sand

System flow rate	
28643	1,050 gph (4.0 m³/hr)
28644	1,050 gph (4.0 m³/hr)
28645	1,600 gph (6.0 m³/hr)
28646	1,600 gph (6.0 m³/hr)
28647	2,150 gph (8.0 m³/hr)
28648	2,150 gph (8.0 m³/hr)
28651	2,450 gph (9.2 m³/hr)
28652	2,450 gph (9.2 m³/hr)

Sand Filters are one of the most popular ways to keep pool water clean. Not only is it effective, it saves on cost and time since the sand needs replacement just once every five years - making the sand filter system one of the easiest to maintain. As an alternative, Intex Glass Filter Media (item# 29058) may also be used in place of conventional sand.

Item#	Voltage	Ultra Frame™ Pool Models	Ultra Frame™ Rectangular Pool Models	Sequoia Spirit™ Frame Pool Models	Tank Size	hp	Glass Capacity lb (kg)	Sand Capacity lb (kg)	Pump flow rate gal (m³)/hr	System flow rate gal (m³)/hr	Case Pack	Case Weight lb (kg)
<b>IMPROVED!</b> 28643EG	110-120V (W/GFCI)	16' (4.88m)	18' x 9' (5.49m x 2.74m)	15'8" (4.78m)	10" (254mm)	0.25	18.5 (8.5)	26 (12)	1,200 (4.5)	1,050 (4.0)	1	28.7 (13.0)
<b>IMPROVED!</b> 28644	220-240V	16' (4.88m)	18' x 9' (5.49m x 2.74m)	15'8" (4.78m)	10" (254mm)	0.25	18.5 (8.5)	26 (12)	1,200 (4.5)	1,050 (4.0)	1	29.5 (13.4)
<b>IMPROVED!</b> 28644GS	220-240V (W/RCD)	16' (4.88m)	18' x 9' (5.49m x 2.74m)	15'8" (4.78m)	10" (254mm)	0.25	18.5 (8.5)	26 (12)	1,200 (4.5)	970 (3.7)	1	32.6 (14.8)
28645EG	110-120V (W/GFCI)	18' (5.49m)	24' x 12' (7.32m x 3.66m)	18'8" (5.69m)	12" (305mm)	0.50	35 (16)	50 (23)	2,100 (7.9)	1,600 (6.0)	1	39.2 (17.8)
28646	220-240V	18' (5.49m)	24' x 12' (7.32m x 3.66m)	18'8" (5.69m)	12" (305mm)	0.50	35 (16)	50 (23)	2,100 (7.9)	1,600 (6.0)	1	40.4 (18.4)
28646GS	220-240V (W/RCD)	18' (5.49m)	24' x 12' (7.32m x 3.66m)	18'8" (5.69m)	12" (305mm)	0.50	35 (16)	50 (23)	2,100 (7.9)	1,250 (4.7)	1	42.2 (19.2)
28647EG	110-120V (W/GFCI)	-	32' x 16' (9.75m x 4.88m)	-	14" (360mm)	0.75	55 (25)	77 (35)	2,800 (10.5)	2,150 (8.0)	1	48.8 (22.2)
28648	220-240V	-	32' x 16' (9.75m x 4.88m)	-	14" (360mm)	0.75	55 (25)	77 (35)	2,800 (10.5)	2,150 (8.0)	1	51.0 (23.2)
28648GS	220-240V (W/RCD)	-	32' x 16' (9.75m x 4.88m)	-	14" (360mm)	0.75	55 (25)	77 (35)	2,800 (10.5)	1,900 (7.2)	1	53.0 (24.1)
28651EG	110-120V (W/GFCI)	-	-	-	16" (410mm)	0.95	85 (38)	120 (55)	3,000 (11.3)	2,450 (9.2)	1	54.5 (24.8)
28652	220-240V	-	-	-	16" (410mm)	0.95	85 (38)	120 (55)	3,200 (12.0)	2,450 (9.2)	1	55.6 (25.3)
28652GS	220-240V (W/RCD)	-	-	-	16" (410mm)	0.95	85 (38)	120 (55)	3,200 (12.0)	2,200 (8.3)	1	57.5 (26.2)



#28643  
#28644



#28645  
#28646



#28647  
#28648



#28651  
#28652



## POOL SANITATION SYSTEMS

### KRYSTAL CLEAR SALTWATER SYSTEM™

#### The ECO-friendly Poolwater Sanitizer

The Krystal Clear Saltwater System™ combines a unique two-stage technology to sanitize pool water.

First, an undetectable level of natural swimmer-safe chlorine is produced when environmentally friendly natural salt is added to pool water and passes through a titanium electrolytic cell during the filtration process. The result is soft, fresh, clean water without the potential harsh side effects of packaged pool chemicals.

Second, with the E.C.O. (electrocatalytic oxidation) process, water molecules are split into highly powerful oxidants which destroy organic contaminants such as bacteria and algae. The combination of these powerful oxidants with natural chlorine results in the strongest and safest pool water sanitation.

This second process, unique to the Intex Saltwater System, provides consumers with an important benefit. The process of E.C.O. is so effective, the amount of natural chlorine needed and generated by the system is reduced by approximately 60%. Which means that your customers not only get the great benefits of a saltwater system, they enjoy it with much less chlorine than other saltwater systems generate!



English/Spanish and multi-language international packaging available



#28667  
#28668



#28669  
#28670

### KRYSTAL CLEAR SALTWATER SYSTEM™ WITH E.C.O. (ELECTROCATALYTIC OXIDATION)

#### MAX POOL SIZE: 7,000 GAL (26,500L)

##### #28667EG **NEW!**

#### Krystal Clear Saltwater System™ CG-28667

- 110-120V with GFCI
- Requires a filter pump with a flow rate between 700-3,000 gph (2,650-11,355L/hr)
- Chlorine output: 5 g/hr
- 24 hr. auto-clock cycle
- Shelf box
- 2 ea, 36.8 lb (16.7 kg)

##### #28668 **NEW!**

#### Krystal Clear Saltwater System™ CG-28668

- Same as 28667 except 220-240V
- Shelf box
- 2 ea, 34.9 lb (15.9 kg)

##### #28668GS **NEW!**

#### Krystal Clear Saltwater System™ CG-28668GS

- Same as 28668 except 12V
- Shelf box
- 2 ea, 38.7 lb (17.6 kg)

#### MAX POOL SIZE: 15,000 GAL (56,800L)

##### #28669EG **NEW!**

#### Krystal Clear Saltwater System™ CG-28669

- 110-120V with GFCI
- Requires a filter pump with a flow rate between 700-3,000 gph (2,650-11,355L/hr)
- Chlorine output: 12 g/hr
- 24 hr. auto-clock cycle
- Shelf box
- 2 ea, 44.2 lb (20.1 kg)

##### #28670 **NEW!**

#### Krystal Clear Saltwater System™ CG-28670

- Same as 28669 except 220-240V
- Shelf box
- 2 ea, 43.0 lb (19.5 kg)

##### #28670GS **NEW!**

#### Krystal Clear Saltwater System™ CG-28670GS

- Same as 28670 except 12V
- Shelf box
- 2 ea, 48.6 lb (22.1 kg)

## KRYSTAL CLEAR™ OZONE AND SALTWATER SYSTEM

#### Professionals Know That The Ultimate Pool Sanitation Method Is Ozone.

Only Ozone provides virtually complete, instantaneous, odorless, all-natural sanitation of pool water. Ozone eliminates bacteria over 3,000 times faster than chlorine. And because it has up to 100 times the oxidizing power of chlorine, it cleans pool water without the chemical smell that swimmers often associate with chlorine.

Intex has brought this powerful technology together with the benefits of our saltwater system to provide your customers with the very best in above ground pool sanitation. By combining the incredible sanitizing strength of ozone with the great swimming comfort that saltwater systems provide, your customers can enjoy truly wonderful pool ownership and great swimming experience for years.

A totally effective, odorless, effortless, all natural solution to maintaining crystal clear, soft, clean pool water... from Intex!



English/Spanish and multi-language international packaging available



#28665  
#28666

### KRYSTAL CLEAR™ OZONE AND SALTWATER SYSTEM

#### MAX POOL SIZE: 15,000 GAL (56,800L)

##### #28665 / EG

#### Krystal Clear Saltwater System™ CG-28665

- 110-120V with GFCI
- Requires a filter pump with a flow rate between 1,500-4,000 gph (5,678-15,140L/hr)
- Chlorine output: 11 g/hr
- Ozone output: 150 miligram/hr
- 24 hr. auto-clock cycle
- Shelf box
- 1 ea, 37.2 lb (16.9 kg)



Easy-to-Use Control Panel



Ozone Generator Replacement Indicator



Titanium Plates



## COMBINATION FILTRATION & SANITATION SYSTEMS

### KRYSTAL CLEAR™ POOLWATER SYSTEM

Sand Filters are one of the most desirable methods to keep pool water clear and sparkling. Not only does the all-natural, inexpensive sand do an excellent job of filtering the water, it needs replacement only once every five years, making sand filter the easiest maintenance filtration option on the market. As an alternative, Intex Glass Filter Media (item# 29058) may also be used in place of conventional sand.

Saltwater systems with E.C.O. (electrocatalytic oxidation) are known for their ability to keep pool water clean and safe, while eliminating the harshness of traditional packaged chlorine.

Intex has combined these two excellent systems into one product, providing above ground pool owners with ONE low cost, low maintenance system that will keep pools clean, safe, and comfortable for swimmers. Both systems are controlled automatically with one 24-hour timer to make daily operation carefree!



English/Spanish and multi-language international packaging available



#28673  
#28674

### KRYSTAL CLEAR™ CARTRIDGE FILTER PUMP & SALTWATER SYSTEM WITH E.C.O. (ELECTROCATALYTIC OXIDATION)

MAX POOL SIZE: 7,000 GAL (26,500L)

#28673EG **NEW!**

Krystal Clear™ Cartridge Filter Pump & Saltwater System CG-28673

- 110-120V with GFCI
- Same as 28667 with additional 1,200 gph (4,542L/hr) filter pump set
- System flow rate 1,050 gph (3,974L/hr)
- Chlorine output: 5 g/hr
- Shelf box  
1 ea, 36.4 lb (16.5 kg)

#28674 **NEW!**

Krystal Clear™ Cartridge Filter Pump & Saltwater System CG-28674

- Same as 28673 except 220-240V
- Shelf box  
1 ea, 37.8 lb (17.2 kg)

Item#	Ultra Frame™ Pool Models
28673EG	16' (4.88m)
28674	16' (4.88m)



#28675  
#28676

### KRYSTAL CLEAR™ SAND FILTER PUMP & SALTWATER SYSTEMS WITH E.C.O. (ELECTROCATALYTIC OXIDATION)

MAX POOL SIZE: 8,500 GAL (32,200L)

#28675EG **NEW!**

Krystal Clear™ Sand Filter Pump & Saltwater System CG-28675

- 110-120V with GFCI
- 14" (360mm) tank diameter
- 0.5 hp motor
- Pump flow rate 1,600 gph (6.0 m³/hr)
- System flow rate 1,500 gph (5.7 m³/hr)
- 55 lb (25 kg) sand capacity or 40 lb (18 kg) glass filtration media capacity
- Chlorine output: 7 g/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box  
1 ea, 54.6 lb (24.8 kg)

#28676 **NEW!**

Krystal Clear™ Sand Filter Pump & Saltwater System CG-28676

- Same as 28675 except 220-240V
- Shelf box  
1 ea, 55.4 lb (25.2 kg)

Item#	Ultra Frame™ Pool Models	Ultra Frame™ Rectangular Pool Models	Sequoia Spirit™ Frame Pool Models
28675EG	18' (5.49m)	24' x 12' (7.32m x 3.66m)	18'8" (5.69m)
28676	18' (5.49m)	24' x 12' (7.32m x 3.66m)	18'8" (5.69m)



#28679  
#28680

MAX POOL SIZE: 15,000 GAL (56,800L)

#28679EG **NEW!**

Krystal Clear™ Sand Filter Pump & Saltwater System CG-28679

- 110-120V with GFCI
- 16" (410mm) tank diameter
- 0.95 hp motor
- Pump flow rate 2,650 gph (10.0 m³/hr)
- System flow rate 2,150 gph (8.0 m³/hr)
- 100 lb (45 kg) sand capacity or 70 lb (32 kg) glass filtration media capacity
- Chlorine output: 11 g/hr
- 2 pieces of 1½" (38mm) hoses
- 2-year warranty
- Shelf box  
1 ea, 63.8 lb (29.0 kg)

#28680 **NEW!**

Krystal Clear™ Sand Filter Pump & Saltwater System CG-28680

- Same as 28679 except 220-240V
- Shelf box  
1 ea, 64.7 lb (29.4 kg)

Item#	Ultra Frame™ Rectangular Pool Models
28679EG	32' x 16' (9.75m x 4.88m)
28680	32' x 16' (9.75m x 4.88m)



English/Spanish and multi-language international packaging available



# Pool Accessories



## POOL CADDY

#59691 / E **NEW!**

### Pool Caddy

- Organizes and easily stores pool accessories, inflatable floats, beach balls & small toys
- Mesh storage pouch allows pool toys to air-dry
- Conveniently hangs on the side of Above Ground Pools (Metal Frame), fences & gates
- Set up size: 59" x 13" x 28" (1.50m x 33cm x 71cm)  
12 ea, 18.4 lb (8.4 kg)



#59691



## POOL THERMOMETER

#29039 / E

### Pool Thermometer

- Floats upright  
12 ea, 2.2 lb (1.0 kg)



#29039

## HEATER

#28684

### Heater

- 220-240V with RCD
- Compatible with round Easy Set® or Metal Frame pools 15' (4.57m) diameter or smaller
- Easy hook-up and operation
- Water level sensor
- Easily connects to new or existing pool filter system
- Shelf box  
4 ea, 32.0 lb (14.6 kg)



#28684

## SOLAR MAT

#28685 / E **NEW!**

### Solar Mat

- Eco-Friendly Solar technology that increases the temperature of the pool water by approximately 3° ~ 5°C (5° ~ 9°F) depending on weather condition
- Suitable for AGPs up to 8,000 gal (30,280L)
- Simple hook up, compatible with filter pump up to ½ hp or pump flow rate less than 2,500 gal/hr (9,463 L/hr)
- 1m² (11ft²) surface to absorb the sun's rays
- Easy to drain, easy to store
- Dimensions: 1.20m x 1.20m / 47" x 47" (flat, before fill)
- Constructed of heavy duty UV stabilized PVC
- Includes:
  - 1¼" (32mm) hose attachment points
  - 2 adaptors B for 1½" (38mm) hose connection
  - 0.5m (1¼"/32mm diameter) connecting hose
  - Bypass valve
- Shelf box  
3 ea, 24.3 lb (11.1 kg)



The Intex Solar Mat is an energy efficient way to capture the sun's rays to heat up your above ground swimming pool. Designed to work with a variety of Intex filter pumps, this heater is perfect for increasing your swimming session with warmer water, using environmentally friendly solar heating technology.



#28685





#29080

### FOOT BATH

#29080 / E

#### Pool Foot Bath

- Reduces debris & dirt from entering your pool
- Easily connects to ladders to rinse off feet before entering pool
- Anti-slip bottom designed for safety
- Perfectly fits all Intex ladders
- Size 22" x 18" x 3.5" (56cm x 46cm x 9cm)
- Water Capacity: 3 gal (11.5L)
- 12 ea, 15.4 lb (7.0 kg)



#28000

### SURFACE SKIMMER

#28000 / E

#### Deluxe Wall Mount Surface Skimmer

- Attaches to filter pump for automatic skimming
- Requires an Intex filter pump with a minimum flow rate of 800 gph (3,028L/hr)
- Easily mounts to Easy Set® or metal frame pool sidewalls with adjustable bracket
- Helps catch leaves and other debris before they sink to the bottom of the pool
- Durable polypropylene plastic is not affected by pool chemicals
- Strainer basket pulls out for easy cleaning
- Shelf box
- 4 ea, 18.6 lb (8.5 kg)



#28001

### AUTO POOL CLEANER

#28001 / E **NEW COLOR!**


#### Auto Pool Cleaner

- Automatic powerful pool cleaner
- Automatically vacuums the entire pool floor effectively hassle-free
- Requires a filter pump with a flow rate between 1,200-3,500 gph (4,542-13,248L/hr)
- Attaches to the inlet connector in the pool with a 24'7" (7.50m) hose
- For Intex above ground pools with 1½" (38 mm) hose fittings
- Not suitable for in-ground pools
- Shelf box
- 1 ea, 19.3 lb (8.8 kg)

### FILTER CARTRIDGES

- Easy to clean dacron filter material
- Shrink wrapped with litho label

Replace Filter Cartridge Every Two Weeks



Item#	Type	For Filter Pump Item#	Case Pack	Case Weight lb (kg)
<b>NEW!</b> 29007 / E	H	28601 / 28602	12	2.4 (1.1)
29000 / E	A	28603 / 28604 / 28637 / 28638 / 28635 / 28636 / 28673 / 28674	6	2.6 (1.2)
29002 / E	A	28603 / 28604 / 28637 / 28638 / 28635 / 28636 / 28673 / 28674	6	4.9 (2.2)
29003 / E	A	28603 / 28604 / 28637 / 28638 / 28635 / 28636 / 28673 / 28674	6	7.3 (3.3)
29005 / E	B	28633 / 28634	6	6.5 (3.0)



#29002 / E  
Filter Cartridge Twin Pack



#29003 / E  
Filter Cartridge Tri-Pack



Filter cartridge displays serve as excellent POP to merchandise your cartridges in store!

### CARTRIDGE CLEANER

#29082 / E

#### Multi-Functional Cartridge Cleaner

- Designed to easily clean filter cartridges
- Ridges on nozzle jets separate pleats for optimum cleaning
- Easily connects to all standard garden hoses
- Rear-trigger shutoff
- 6 ea, 3.8 lb (1.7 kg)



#29082



**POOL COVERS**

- Rope ties
- Drain holes to prevent water accumulation • Shelf box

Item#	Type	Diameter	Overhang	Case Pack	Case Weight lb (kg)
<b>28020 / E</b>	Easy Set® Pool Cover	8' (2.44m)	12" (30cm)	6 ea	21.2 (9.7)
<b>28021 / E</b>	Easy Set® Pool Cover	10' (3.05m)	12" (30cm)	6 ea	31.2 (14.2)
<b>28022 / E</b>	Easy Set® Pool Cover	12' (3.66m)	12" (30cm)	6 ea	42.8 (19.5)
<b>28023 / E</b>	Easy Set® Pool Cover	15' (4.57m)	12" (30cm)	4 ea	39.8 (18.1)

Item#	Type	Diameter	Overhang	Case Pack	Case Weight lb (kg)
<b>28030 / E</b>	Round Pool Cover	10' (3.05m)	10" (25cm)	6 ea	34.0 (15.5)
<b>28031 / E</b>	Round Pool Cover	12' (3.66m)	10" (25cm)	6 ea	45.7 (20.8)
<b>28032 / E</b>	Round Pool Cover	15' (4.57m)	10" (25cm)	4 ea	45.0 (20.5)

**DELUXE POOL COVERS**

- UV-resistant polyethylene material • Rope ties
- Drain holes to prevent water accumulation • Shelf box

Item#	Type	Diameter	Overhang	Case Pack	Case Weight lb (kg)
<b>28040 / E</b>	Deluxe Pool Cover	16' (4.88m)	8" (20cm)	4 ea	33.4 (15.2)
<b>28041 / E</b>	Deluxe Pool Cover	18' (5.49m)	8" (20cm)	3 ea	30.2 (13.7)

**POOL GROUND CLOTH**

- Durable material
- Shelf box
- Provide added protection for pool bottom

**#28048 / E**  
**Pool Ground Cloth**  
 • Fits 8'/10'/12'/15' (2.44/3.05/3.66/4.57m) Easy Set® and frame pools  
 • 15½' (4.72m) square  
 2 ea, 9.0 lb (4.1 kg)



#28048



#28020 #28022  
 #28021 #28023



#28030  
 #28031 #28032



#28040 #28041

**FLOOR PROTECTOR**

**#29081 / E**  
**Interlocking Padded Floor Protector**  
 • Provides added protection and cushion around pool & play area  
 • Made with durable polyethylene material  
 • Easily stores and transports  
 • Sold in packs of 8 pieces, 20 ft² (1.9 m²) of interlocking tiles  
 • Piece Size: 20" x 20" x ¾" (50cm x 50cm x 1cm)  
 6 ea, 23.9 lb (10.9 kg)



#29081

**SOLAR POOL COVERS**



- Helps keep pool water warmer
- Easy to use
- Available in 8 sizes
- Economical
- Carry bag



English/Spanish and multi-language international packaging available



#29020 #29022 #29024  
 #29021 #29023 (shown) #29025



#29026 (shown)  
 #29027

Item#	Type	Fits	Diameter	Thickness	Case Pack	Case Weight lb (kg)
<b>29020 / E</b>	Solar Cover	8' (2.44m) Easy Set®	81" (2.06m)	120 micron (110g/m²)	3 ea	4.1 (1.9)
<b>29021 / E</b>	Solar Cover	10' (3.05m) Easy Set® & frame pools	114" (2.90m)	120 micron (110g/m²)	3 ea	7.3 (3.3)
<b>29022 / E</b>	Solar Cover	12' (3.66m) Easy Set® & frame pools	137" (3.48m)	120 micron (110g/m²)	2 ea	6.8 (3.1)
<b>29023 / E</b>	Solar Cover	15' (4.57m) Easy Set® & frame pools	176" (4.48m)	160 micron (150g/m²)	2 ea	14.2 (6.5)
<b>29024 / E</b>	Solar Cover	16' (4.88m) Easy Set® & frame pools	185" (4.70m)	160 micron (150g/m²)	2 ea	16.0 (7.3)
<b>29025 / E</b>	Solar Cover	18' (5.49m) Easy Set® & frame pools	212" (5.38m)	160 micron (150g/m²)	1 ea	10.3 (4.7)
<b>29026 / E</b>	Solar Cover	18' x 9' (5.49 x 2.74m) Rectangular frame pools	212" x 100" (5.38 x 2.53m)	160 micron (150g/m²)	1 ea	6.8 (3.1)
<b>29027 / E</b>	Solar Cover	24' x 12' (7.32 x 3.66m) Rectangular frame pools	282" x 136" (7.16 x 3.46m)	160 micron (150g/m²)	1 ea	11.2 (5.1)



### POOL MAINTENANCE KIT

#28002 / E

#### Pool Maintenance Kit

- Includes 94" (2.39m) telescoping aluminum shaft for use with 16' (4.88m) and below pools
- Interchangeable vacuum and skimmer heads
- Pegable box
- 4 ea, 13.8 lb (6.3 kg)



#28002

### DELUXE POOL MAINTENANCE KIT

#28003 / E

#### Deluxe Pool Maintenance Kit

- Includes 110" (2.79m) telescoping aluminum shaft for use with 18' (5.49m) diameter pools and above
- Requires an Intex filter pump with a minimum flow rate of 800 gph (3,028L/hr)
- Vacuum sucks debris off the pool floor and through the filter
- Attaches to the outlet connector in the pool with a 24' 7" (7.50m) hose
- Durable and deep mesh skimmer net
- Shelf box
- 3 ea, 24.8 lb (11.3 kg)



#28003



#28060 #28061



#28062



#28063



#28072



#28074



### POOL LADDERS

- Coated steel frame
- Hi-impact plastic steps
- Shelf box

U.S. Patent #6,755,281



English/Spanish and multi-language international packaging available

### DELUXE POOL LADDERS WITH REMOVABLE STEPS

These pool ladders come with easily removable steps. When the pool is not in use, they can be quickly detached and removed from the pool area. Replacing them is simple and quick. Simply set the steps in the base, then snap and lock them into place. Available in two sizes, designed for 36"-42" (91cm-1.07m) and 48"-52" (1.22m-1.32m) pools.

Item#	For 36" (91cm) wall height	For 42" (1.07m) wall height	For 48" (1.22m) wall height	For 52" (1.32m) wall height	Removable Steps	Case Pack	Case Weight lb (kg)
28060 / E	•					3	54.1 (24.6)
28061 / E		•				3	58.4 (26.5)
28062 / E			•			2	47.1 (21.4)
28063 / E				•		2	54.1 (24.6)
28072 / E	•	•			•	2	55.5 (25.2)
28074 / E			•	•	•	2	68.6 (31.2)



**CHLORINE DISPENSERS**

**#29040 / E**  
**5" (12.7cm) FLOATING CHEMICAL DISPENSER**

- Holds up to 1" (2.5cm) chlorine or bromine tablets
- Made of durable non-corrosive polypropylene material
- Adjustable control ring to control the release of chemical
- Twist-lock cap
- Suitable for Intex pools up to 12' (3.66m) and PureSpa™
- Tablets not included



#29040

**#29041 / E**  
**7" (17.8cm) FLOATING CHEMICAL DISPENSER**

- Holds up to 3" (7.6cm) chlorine or bromine tablets
- Made of durable non-corrosive polypropylene material
- Adjustable control ring to control the release of chemical
- Twist-lock cap
- Suitable for all Intex pools
- Tablets not included



#29041

**TELESCOPING POLES**

**#29054 / E**  
**94" (2.39m) Telescoping Aluminum Shaft**

- Ideal for attaching accessories to clean pools
- 94" (2.39m) lightweight telescoping aluminum shaft
- 1 1/16" (26.2mm) inner diameter



#29054

**#29055 / E**  
**110" (2.79m) Telescoping Aluminum Shaft**

- Ideal for attaching accessories to clean pools
- 110" (2.79m) lightweight telescoping aluminum shaft
- 1 3/16" (29.8mm) inner diameter



#29055

**ACCESSORY KITS**

**#29056 / E**  
**Basic Cleaning Kit**

- Includes leaf skimmer, wall brush and vacuum head
- Vacuum head with reusable debris bag, requires connection with garden hose for usage
- Durable mesh skimmer net
- Wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 1 1/16" (26.2mm) inner diameter lightweight telescoping aluminum shaft (item# 29054, not included)



#29056

**#29057 / E**  
**Deluxe Cleaning Kit**

- Includes leaf rake, curved wall brush and vacuum head
- Vacuum sucks debris off the pool floor and through the filter
- Durable and deep mesh skimmer net
- Curved wall brush can quickly remove algae and grime from pool walls or pool floor
- Compatible with 1 3/16" (29.8mm) inner diameter lightweight telescoping aluminum shaft (item# 29055, not included)



#29057

**CLEANING ACCESSORIES**

**#29050 / E**  
**Leaf Skimmer**

- Remove debris off pool water surface
- Improved design for easier debris collection
- Durable mesh skimmer net
- Compatible with 1 1/16" (26.2mm) inner diameter telescoping aluminum shaft (item# 29054, not included)



#29050

**#29051 / E**  
**Leaf Rake**

- Scoop debris from pool floor
- Deep and durable mesh skimmer net
- Compatible with 1 3/16" (29.8mm) inner diameter telescoping aluminum shaft (item# 29055, not included)



#29051

**#29052 / E**  
**10" (254mm) Wall Brush**

- Straight standard brush for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1 1/16" (26.2mm) inner diameter telescoping aluminum shaft (item# 29054, not included)



#29052

**#29053 / E**  
**16" (406mm) Curved Wall Brush**

- Curved brush ideal for pool cleaning and maintenance
- Quickly remove algae and grime from pool walls or pool floor
- Compatible with 1 3/16" (29.8mm) inner diameter telescoping aluminum shaft (item# 29055, not included)



#29053

**ACCESSORY HOSES**

**#29059 / E**  
**Accessory Hose 1 1/4" (32mm)**

- Suitable for Intex filter pumps and saltwater systems that use 1 1/4" (32mm) hoses
- 59" (1.50m) length hose



#29059

**#29060 / E**  
**Accessory Hose 1 1/2" (38mm)**

- Suitable for Intex filter pumps and saltwater systems that use 1 1/2" (38mm) hoses
- 59" (1.50m) length hose



#29060

**#29083 / E**  
**Deluxe Vacuum Hose**

- 25' (7.60m) length
- Lightweight and flexible
- Removable end-fittings for easy cleaning and assembly
- Measures 1 1/2" (38mm) in diameter



#29083

**GLASS FILTRATION MEDIA**

**#29058 / E**  
**Glass Filter Media**

Sand Filtration is one of the most commonly used methods of cleaning pools. But Intex's finely crushed Glass Filtration Media offers a better cleaning solution than sand.

- Cleans pool water more effectively
- Lasts 80% longer between replacements
- Requires 50% less backwashing
- Needs 20% less water to backwash
- For use in all Sand Filtration systems
- Particle size: 0.4 – 0.8mm
- 55 lb (25 kg) bag
- 36 ea, 2,076.8 lb (944.0 kg)



#29058




# LED Lights



## LED FLOATING POOL LIGHT

Light up your poolside evenings with our Floating Pool Light. Our brand new Intex Floating Light includes 3 different function modes: Flood Light, 3-Color Changer, and Flood Light & Color Changer combo. At a touch of a button the lights change modes to provide the ideal environment for your family or guests. Perfect for all above ground pools up to 18' (5.49m). This convenient floating light helps provide a safe and fun environment for all occasions.



- #28690 / E**  
**Floating Light**
- Illuminate your summer evenings with this fun & convenient floating pool light
  - Includes 3 different colorful light-up modes
  - Suitable for above ground pools up to 18' (5.49m)
  - 2 hour auto shut-off
  - Requires 4 AAA batteries (not included)
  - Shelf box  
8 ea, 10.5 lb (4.8 kg)

Function	LED light color
Flood Light	Soft white
3-Color Changer Light	Red, green and blue
Flood + 3-Color Changer Combo Light	Soft white, red, green and blue

## MAGNETIC LED POOL-WALL LIGHTS

Lighting up an above ground pool has always been difficult. Unlike in-ground pool owners, who could flip a switch to light up their pools, above ground pool owners had to either cut a hole in their sidewall, risking leaks and damage to their pool or use a floating light.

The Intex LED light uses magnetic technology to create a light system that safely generates low voltage current THROUGH the pool's sidewall to a powerful LED light inside the pool. The advanced, energy efficient LED light delivers more brightness to your pool than a conventional 50-watt halogen pool light. So now, above ground pool owners can light their pools up just like in-ground pool owners, but without the expense and damage of cutting a hole in their pool.

The LED Pool-Wall light is the ultimate in flexibility and can be attached to any sidewall in any location – and be easily moved to different parts of the pool for different lighting effects. If the inner light unit becomes separated from the outer power source, it will automatically float to the surface for easy retrieval.

Beauty, convenience, innovation, performance, and value – all part of the Intex LED Pool-Wall light!



- #28687E**
- 110-120V
  - Led light
  - Magnetic wall mounting system
  - Easily illuminates up to 24' (7.32m) pools
  - Shelf box  
4 ea, 19.0 lb (8.6 kg)


- #28688**
- 220-240V
  - Led light
  - Magnetic wall mounting system
  - Easily illuminates up to 24' (7.32m) pools
  - Shelf box  
4 ea, 21.6 lb (9.8 kg)

Features	Benefits
LED light	Extra bright, long-lasting illumination
Magnetic hook-up	<ul style="list-style-type: none"> <li>• Safely transfers power directly through pool sidewall so light level will never fade</li> <li>• No batteries to recharge</li> <li>• Light is flexible and can be easily moved around pool sidewall</li> </ul>
Built-in floatation	If light becomes separated from magnet, it will automatically float to surface for easy retrieval
Below 12V	Low electricity level; safe to use around pool and water

## LED LIGHTS



English/Spanish and multi-language international packaging available



The outside unit transmits power safely and wirelessly to inside the underwater LED where the magnetic technology holds the two parts together.





# LED Lights



## LAWN BRITE™ SOLAR LED LANDSCAPE LIGHT

The Intex LAWN BRITE™ solar LED light is designed to provide maximum light, look great, and last long in any yard. Each light comes with two separate base units: one for anchoring the light firmly into a lawn or garden, the other for placing the light on a solid surface such as a patio or around a pool. Both are interchangeable, so the location can be changed as needed!

### #28689 / E IMPROVED!

- Long-lasting LED light
  - Adjustable solar panel
  - Lithium rechargeable battery
  - Power switch function
  - Compass to assist positioning
  - Shelf box
- 3 ea, 9.0 lb (4.1 kg)



## 5-IN-1 LED LIGHTS

Intex 5-in-1 LED light provides the perfect solution for all your portable lighting needs in one powerful product. This versatile, compact, multi-function light combines a powerful LED with a built-in micro processor that enables it to function as a flashlight, a hanging lantern, a table top lantern, a hazard light, and a safety beacon. For even more flexibility, the flashlight and the lantern modes can be operated at three power levels, allowing the operator to control the illumination and battery life according to their needs.



### #68690 / E IMPROVED!

#### 5-in-1 LED Light

- Optics design with 10x zoom lens
  - 360 degree beacon
  - Built-in battery compartment
  - Durable water resistant and impact resistant construction
  - Shelf box
- 6 ea, 7.4 lb (3.4 kg)



### #68691 / E IMPROVED!

#### Deluxe 5-in-1 LED Light

- Built-in lithium rechargeable battery
  - Optics design with 10x zoom lens
  - 360 degree beacon
  - USB charger cable
  - 12V charger adaptor
  - Durable water resistant and impact resistant construction
  - Shelf box
- 6 ea, 8.7 lb (3.9 kg)

Function	Operation
Flashlight	Pick flashlight mode, and choose between three power levels (8%, 50%, 100%) plus adjustable focus to meet all flashlight needs.
Hanging Lantern	Operate in floodlight mode with lantern suspended. Choose between three power levels to meet individual requirements.
Table Top Lantern	Operate in lantern mode. 8% power level is perfect for a nightlight at home or on the road, while 50% and 100% levels are ideal for campers, or to light up rooms, garages, RVs, or tents.
Hazard Light	Operate at full power as a flashing amber-colored warning light. A must-have for car & boat owners, campers, and other travelers.
Emergency Beacon	Operate at full power, automatically flashing the international SOS signal with a full 1 kilometer illumination range. Easily recognizable by rescue personnel.

## LED LIGHTS



► Flash Light



► Hanging Lantern



► Tent Lumination



# COMMITMENT TO EXCELLENCE

In today's rapidly evolving and highly competitive environment, this translates into a total commitment to product quality, including conformity to all relevant safety & quality regulations and standards. Examples include:

- Regulation (EC) No.1907/2006 "Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)"
- EN 71 "Safety of toys" (European standard)
- EN 13138 "Buoyant aids for swimming instruction" (European standard)
- EN15649 "Floating leisure articles for use on and in the water" (European standard for air mats, lounges and other similar items)
- EN 60335-2-41 "Safety of household and similar electrical appliances, particular requirements for pumps" (European standard for water pumps)
- ISO 6185-1 "Inflatable boats" (International standard for Sports Boats)
- NMMA-ABYC (USA standard for hi-end sports boats)
- ASTM F963 "Standard Consumer Safety Specification for Toy Safety" (USA toy standard)
- ANSI/APSP-4 "AGP standard" (USA standard for above ground pools)
- CPSIA "Consumer Product Safety Improvement Act" (USA regulation of consumer and children's products)
- ASTM F2666 "Small pools standard" (USA standard for pools under 36" water depth)
- UL1450 "Electric inflators" (USA standard for electric inflators)
- UL1081 "Swimming pool pumps, filters and chlorinators" (USA standard)
- UL1563 "Electric Spas" (USA standard for Spa)




Intex's commitment to Excellence extends to helping our environment and supporting the ecosystem. It begins with product design. Intex's filter pumps operate on much lower amps than most filter pumps in the market, reducing electricity consumption. Our saltwater systems clean pools using only natural salt, eliminating the ongoing need for environmentally unfriendly packaged chlorine.

Intex also operates one of the most comprehensive recycling programs in the industry. We are the first company in China to successfully obtain a license to ship consumers' returns in the original package back to China to be recycled. Therefore, used materials and product returns are prevented from going to landfills and instead re-used in the manufacturing process where up to 10% of annually produced PVC is recycled.

Intex designs all of our own packaging for our products. We constantly challenge our methods of packaging to improve efficiency and reduce waste. More compact packaging techniques save cardboard while cutting down on space utilization, saving freight and fuel consumption.

As a manufacturer, Intex knows it has a responsibility to manage the amount of waste produced. As an employer of over ten thousand people, we also encourage our own employees to recycle, reduce waste, and be conscious of the environment. Starting from recycling corners for all our worldwide office facilities, our Factory has worked with the local government as well as through sponsorships with key partners to strengthen our efforts to be more eco-friendly. Intex has worked to provide incentives and seminars to employees as well as setting targets to reduce energy consumption. In addition, Intex has made significant investment in technology to achieve these goals. For example, we have implemented a frequency converter system which converts diesel to natural gas, installed solar water heaters and set up a recycled sewage system, and invested in equipment that reduces gas emissions.

From product design, to more efficient processes that save energy and reduce waste, to a world class recycling program, to more energy efficient offices, the people at Intex are striving to provide the best value products anywhere while constantly keeping our global ecosystem in mind.





# INTEX®

## Global Customer Service



Intex Customer Service Center



Phone operators are ready to answer customer questions quickly and accurately



Extensive training ensures that Customer Service Centers are staffed with knowledgeable members


In addition to the products featured in this catalog, Intex also offers replacement & repair parts for many items. Please contact our Intex representatives or the following Customer Service locations for additional information.

<b>ARGENTINA</b> JARSE INDUSTRIAL Y COMERCIAL S.A. Tel: 011-4942-2238 (interno 139/145) mcosoleto@jarse.com.ar www.intexargentina.com.ar	<b>CZECH REPUBLIC</b> INTEX TRADING S.R.O. Tel: +420-267-313-188 info@intexcorp.cz	<b>GERMANY</b> STEINBACH VERTRIEBSGMBH Tel: 507-300-3800 service@intexcorp.de www.intexcorp.de	<b>NICARAGUA</b> SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 086-0000-881 / 27-21-505-5500 suproadmin@supropanama.com www.supropanama.com	<b>SOUTH AFRICA</b> WOOD & HYDE Tel: 086-0000-881 / 27-21-505-5500 ygoldman@melbro.co.za www.intexcorp.co.za
<b>AUSTRALIA</b> IDEAL SOURCES PTY LTD Tel: 1800-359-947 enquiries@idealsources.com.au www.idealsources.com.au	<b>DENMARK</b> NORSTAR A/S Tel: +45-8944-2200 intex.dk@norstar.eu www.intexnordic.com	<b>GUATEMALA</b> CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com	<b>NORWAY</b> MEDIA CELL SOLUTIONS S.L. (MCS) Tel: +47-33-48-74-10 intex.no@norstar.eu www.intexnordic.com	<b>SPAIN</b> MEDIA CELL SOLUTIONS S.L. (MCS) Tel: 902-767-010 sac@intex.es www.intexserviceiberia.com
<b>AUSTRIA</b> STEINBACH VERTRIEBSGMBH Tel: 0820-200-100-200 service@intexcorp.at www.intexcorp.at	<b>DOMINICAN REPUBLIC</b> CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com	<b>HONDURAS</b> SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com www.supropanama.com	<b>PANAMA</b> SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com www.intexnordic.com	<b>SWEDEN</b> NORSTAR AB Tel: +46-431-44-41-00 intex.se@norstar.eu www.intexnordic.com
<b>BELGIUM</b> NV SIMBA TOYS BENELUX SA Tel: 0800-92088 intexsupport@nicotoy.be www.nicotoy.be	<b>EASTERN EUROPE</b> INTEX TRADING S.R.O. Tel: +420-267-313-188 info@intexcorp.cz	<b>HUNGARY</b> RECONTRA LTD./RICKI LTD. Tel: +36-30-228-7761 service@recontra.hu	<b>PARAGUAY</b> SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 service@intexcorp.com www.supropanama.com	<b>SWITZERLAND</b> GWM AGENCY Tel: 0900-455456 service@intexfaq.ch www.intexfaq.ch
<b>BRASIL</b> KONESUL BRASIL DISTRIBUIDORA LTDA - ME Tel: 55 (11) 5183 8866 servicio@intexbrasil.com www.intexstore.com.br	<b>ECUADOR</b> SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com www.intex.co.il	<b>ISRAEL</b> ALFIT TOYS LTD Tel: +972-3-9076666 rachelit@chagim.co.il www.supropanama.com	<b>PERU</b> COMEXA S.A. Tel: 446-9014 Tiempolibre.st@silfa.cl	<b>UK</b> JOHN ADAMS LEISURE LTD Tel: 0844-561-7129 sales@johnadams.co.uk www.johnadams.co.uk
<b>CANADA</b> INTEX RECREATION CORP. Tel: 1-800-234-6839 www.intexcorp.com	<b>EL SALVADOR</b> SUPRO MUNDIAL S.A. / PRODUCTOS SUPERIORES S.A. Tel: 507-300-3800 suproadmin@supropanama.com www.supropanama.com	<b>ITALY</b> A & A MARKETING SERVICE Tel: +48-61-8498-334 info@intexitalia.com www.intexitalia.com	<b>POLAND</b> KATHAY HASTER INTEX RECREATION CORP. Tel: 1-800-234-6839 inx@kathay.com.pl www.intexdevelopment.pl	<b>UNITED STATES</b> INTEX RECREATION CORP. Tel: 1-800-234-6839 www.intexcorp.com
<b>Chile</b> COMEXA BARBADOS Tel: 600-822-0700 Tiempolibre.st@silfa.cl	<b>EUROPE</b> INTEX TRADING B.V. Tel: 31-(0)165-593939 service@intexcorp.nl www.intexcorp.nl	<b>MEXICO</b> KAY INTERNACIONAL S.A. DE C.V. Tel: 01-800-347-4020 intex@kayinternacional.com www.kayinternacional.com	<b>PORTUGAL</b> MEDIA CELL SOLUTIONS S.L. (MCS) Tel: 211-104-361 sacpt@intex.es www.intexserviceiberia.com	<b>Uruguay</b> COMEXA BARBADOS Tel: 600-822-0700 Tiempolibre.st@silfa.cl
<b>COLOMBIA</b> CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com	<b>FINLAND</b> NORSTAR OY Tel: +358-9-8190-530 info.fi@norstar.eu www.intexnordic.com	<b>MIDDLE EAST REGION</b> FIRST GROUP INTERNATIONAL Tel: 00971-4-800INTEX(46839) / 00971-4-4421888 intex@firstgroupinternational.com www.intexservice.ru	<b>RUSSIA</b> LLC BAUER Tel: +7-499-249-9400 service.intex@gmail.com www.intexservice.ru	<b>VENEZUELA</b> CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com
<b>COSTA RICA</b> CENTURY USA, LLC Tel: (561) 495-0648 sales@centuryusa.com	<b>FRANCE</b> UNITEK / INTEX SERVICE FRANCE S.A.S Tel: 08-90-71-20-39 www.intex.fr	<b>NEW ZEALAND</b> HAKA NEW ZEALAND LIMITED Tel: 0800 634434 Intex@samaco.com.nz www.hakanewzealand.com	<b>SAUDI ARABIA</b> SAUDI ARABIAN MARKETING & AGENCIES CO. LTD. Tel: 966-2-693 8496 Intex@samaco.com.sa www.samaco.com.sa	

## PRODUCT LOCATOR TABLE

ITEM #	DESCRIPTION	PAGE	ITEM #	DESCRIPTION	PAGE	ITEM #	DESCRIPTION	PAGE	ITEM #	DESCRIPTION	PAGE
28000	SURFACE SKIMMER	36	28164	15'X36" EASY SET®	09	28351	18'X9"X52" ULTRA	21	28676	SALTWATER COMBO	33
28001	AUTO POOL CLEANER	36	28165	15'X42" EASY SET®	11	28352	18'X9"X52" ULTRA	21	28679	SALTWATER COMBO	33
28002	MAINTENANCE KIT	40	28166	15'X42" EASY SET®	11	28361	24'X12'X52" ULTRA	21	28680	SALTWATER COMBO	33
28003	MAINTENANCE KIT	40	28167	15'X48" EASY SET®	11	28362	24'X12'X52" ULTRA	21	28684	POOL HEATER	35
28020	8'X12" POOL COVER	38	28168	15'X48" EASY SET®	11	28365	24'X12'X52" ULTRA	21	28685	SOLAR MAT	35
28021	10'X12" POOL COVER	38	28175	18'X48" EASY SET®	11	28366	24'X12'X52" ULTRA	21	28687	POOL WALL LIGHT	45
28022	12'X12" POOL COVER	38	28176	18'X48" EASY SET®	11	28371	32'X16'X52" ULTRA	21	28688	POOL WALL LIGHT	45
28023	15'X12" POOL COVER	38	28191	18'X10'X42" OVAL	17	28372	32'X16'X52" ULTRA	21	28689	LANDSCAPE LIGHT	46
28030	10'X10" POOL COVER	38	28192	18'X10'X42" OVAL	17	28375	32'X16'X52" ULTRA	21	28690	FLOATING LIGHT	44
28031	12'X10" POOL COVER	38	28193	20'X12'X48" OVAL	17	28376	32'X16'X52" ULTRA	21	29000	CARTRIDGE A	37
28032	15'X10" POOL COVER	38	28194	20'X12'X48" OVAL	17	28381	15'8"X49" SEQUOIA	23	29002	FILTER CARTRIDGE A	37
28040	16" POOL COVER	38	28200	10'X30" METAL	14	28382	15'8"X49" SEQUOIA	23	29003	FILTER CARTRIDGE A	37
28041	18" POOL COVER	38	28201	10'X30" METAL	14	28391	18'8"X53" SEQUOIA	23	29005	FILTER CARTRIDGE B	37
28048	15.5' GROUND CLOTH	38	28202	10'X30" METAL	14	28392	18'8"X53" SEQUOIA	23	29007	FILTER CARTRIDGE H	37
28060	36" POOL LADDER	41	28210	12'X30" METAL	14	28395	18'8"X53" SEQUOIA	23	29020	8' SOLAR COVER	39
28061	42" POOL LADDER	41	28211	12'X30" METAL	14	28396	18'8"X53" SEQUOIA	23	29021	10' SOLAR COVER	39
28062	48" POOL LADDER	41	28212	12'X30" METAL	14	28396	18'8"X53" SEQUOIA	23	29022	12' SOLAR COVER	39
28063	52" POOL LADDER	41	28212	12'X30" METAL	14	28602	330 FILTER PUMP	26	29023	15' SOLAR COVER	39
28072	36" & 42" POOL LADDER	41	28231	15'X36" METAL	15	28603	530 FILTER PUMP	26	29024	16' SOLAR COVER	39
28074	48" & 52" POOL LADDER	41	28232	15'X36" METAL	15	28603	530 FILTER PUMP	26	29025	18' SOLAR COVER	39
28101	6'X20" EASY SET®	06	28233	15'X42" METAL	15	28604	530 FILTER PUMP	26	29026	9'X18' SOLAR COVER	39
28110	8'X30" EASY SET®	09	28234	15'X42" METAL	15	28633	2500 FILTER PUMP	27	29027	12'X24' SOLAR COVER	39
28111	8'X30" EASY SET®	09	28235	15'X48" METAL	15	28634	2500 FILTER PUMP	27	29039	POOL THERMOMETER	35
28112	8'X30" EASY SET®	09	28236	15'X48" METAL	15	28635	1500 FILTER PUMP	27	29040	CHLORINE DISPENSERS	42
28120	10'X30" EASY SET®	09	28251	18'X48" METAL	15	28636	1500 FILTER PUMP	27	29041	CHLORINE DISPENSERS	42
28121	10'X30" EASY SET®	09	28252	18'X48" METAL	15	28637	1000 FILTER PUMP	26	29050	LEAF SKIMMER	42
28122	10'X30" EASY SET®	09	28261	24'X52" METAL	15	28638	1000 FILTER PUMP	26	29051	LEAF RAKE	42
28124	10'X30" EASY SET®	07	28262	24'X52" METAL	15	28643	1200 SAND FILTER	29	29052	10" WALL BRUSH	42
28125	10'X30" EASY SET®	07	28270	SMALL RECTANGULAR	13	28644	1200 SAND FILTER	29	29053	16" WALL BRUSH	42
28126	10'X30" EASY SET®	07	28271	SMALL RECTANGULAR	13	28645	2100 SAND FILTER	29	29054	POLE (94")	42
28130	12'X30" EASY SET®	09	28272	SMALL RECTANGULAR	13	28646	2100 SAND FILTER	29	29055	POLE (110")	42
28131	12'X30" EASY SET®	09	28273	SMALL RECTANGULAR	13	28647	2800 SAND FILTER	29	29056	CLEANING KIT	43
28132	12'X30" EASY SET®	09	28321	16'X48" ULTRA	19	28648	2800 SAND FILTER	29	29057	CLEANING KIT	43
28134	12'X30" EASY SET®	07	28322	16'X48" ULTRA	19	28651	3000 SAND FILTER	29	29058	GLASS FILTER MEDIA	43
28135	12'X30" EASY SET®	07	28323	16'X48" ULTRA	19	28652	3200 SAND FILTER	29	29059	1-1/4" HOSE	43
28136	12'X30" EASY SET®	07	28324	16'X48" ULTRA	19	28652	3200 SAND FILTER	29	29060	1-1/2" HOSE	43
28144	12'X36" EASY SET®	09	28327	16'X48" ULTRA	19	28665	SALWATER & OZONE	31	29080	FOOT BATH	36
28145	12'X36" EASY SET®	09	28328	16'X48" ULTRA	19	28666	SALWATER & OZONE	31	29081	FLOOR PROTECTOR	38
28146	12'X36" EASY SET®	09	28331	18'X52" ULTRA	19	28667	SALTWATER SYSTEM	30	29082	CARTRIDGE CLEANER	37
28160	15'X36" EASY SET®	09	28332	18'X52" ULTRA	19	28668	SALTWATER SYSTEM	30	29083	VACUUM HOSE	43
28161	15'X36" EASY SET®	09	28333	18'X52" ULTRA	19	28669	SALTWATER SYSTEM	30	57172	MINI METAL	12
28162	15'X36" EASY SET®	09	28335	18'X52" ULTRA	19	28670	SALTWATER SYSTEM	30	57173	MINI METAL	12
28163	15'X36" EASY SET®	09	28336	18'X52" ULTRA	19	28673	SALTWATER COMBO	32	59691	POOL CADDY	34
			28349	400CMX200CM ULTRA	21	28674	SALTWATER COMBO	32	68690	5-IN-1 LED LIGHT	47
			28350	400CMX200CM ULTRA	21	28675	SALTWATER COMBO	33	68691	5-IN-1 LED LIGHT	47

### AGE GRADING



An icon indicates an item has an age recommendation

### TRADEMARKS

®™ Trademarks used in some countries of the world under license from Intex Marketing Ltd. to Intex Trading Ltd., Intex Development Co., Ltd. and Intex Recreation Corp.

### ALL ELECTRICAL ACCESSORIES:

- Conforms to UL/CSA standards (110-120V models)
- CE approved (220-240V models)
- TUV-GS approved (GS designation models)

As a part of our program of product development and improvement, the detail specifications of the products shown in this catalog may be changed. For current specifications on any product, please contact your supplier of Intex products.

Intex introduces three additional designations in our catalog that highlight additional safety features that are included on a number of our pools. These designations are:

**EG** Pools with these letters after the 5-digit item code incorporate a GFCI (ground fault circuit interrupter) built into the filter pump.

The GFCI unit is an added safety feature and is designed to instantly shut the pump off if electrical current comes into contact with water. GFCI units are included in all 110-120V filter pumps and saltwater systems.

**EH** Pools with these letters after the 5-digit item code feature ANSI/APSP-16 certified dual suction outlets in accordance with the latest ANSI/APSP-7 standard for Suction Entrapment Avoidance and the U.S. Pool and Spa Safety Act, and provide improved water circulation. These pools also feature pumps with an integral GFCI.

**GS** Pools with the GS designation after the 5-digit item code either incorporate an RCD built into the 220-240V filter pump, or contain filter pumps that operate with a 12V step-down transformer, which reduces the voltage dramatically while retaining the same performance level as the 220-240V version. Both are designed to meet special national requirements in some EU markets.